

VU Research Portal

Erratum to: Localization of Fatty Acyl and Double Bond Positions in Phosphatidylcholines Using a Dual Stage CID Fragmentation Coupled with Ion Mobility Mass Spectrometry.

Castro-Perez, J.; Roddy, T.P.; Nibbering, N.M.M.; Shah, V.; McLaren, D.G.; Previs, S.; Attygalle, A.B.; Herath, K.; Chen, Z.; Wang, S.P.; Mitnaul, L.; Hubbard, B.K.; Vreeken, R.J.; Johns, D.G.; Hankemeier, T.

published in

Journal of the American Society for Mass Spectrometry

2011

DOI (link to publisher)

[10.1007/s13361-011-0199-4](https://doi.org/10.1007/s13361-011-0199-4)

document version

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Castro-Perez, J., Roddy, T. P., Nibbering, N. M. M., Shah, V., McLaren, D. G., Previs, S., Attygalle, A. B., Herath, K., Chen, Z., Wang, S. P., Mitnaul, L., Hubbard, B. K., Vreeken, R. J., Johns, D. G., & Hankemeier, T. (2011). Erratum to: Localization of Fatty Acyl and Double Bond Positions in Phosphatidylcholines Using a Dual Stage CID Fragmentation Coupled with Ion Mobility Mass Spectrometry. *Journal of the American Society for Mass Spectrometry*, 22(9), 1568-1569. <https://doi.org/10.1007/s13361-011-0199-4>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl



ERRATUM

Erratum to: Localization of Fatty Acyl and Double Bond Positions in Phosphatidylcholines Using a Dual Stage CID Fragmentation Coupled with Ion Mobility Mass Spectrometry

Jose Castro-Perez,^{1,2} Thomas P. Roddy,¹ Nico M. M. Nibbering,⁴ Vinit Shah,¹
David G. McLaren,¹ Stephen Previs,¹ Athula B. Attygalle,⁵ Kithsiri Herath,¹ Zhu Chen,¹
Sheng-Ping Wang,¹ Lyndon Mitnaul,¹ Brian K. Hubbard,¹ Rob J. Vreeken,^{2,3}
Douglas G. Johns,¹ Thomas Hankemeier^{2,3}

¹Department of Atherosclerosis Exploratory Biomarkers, Merck Research Laboratories, 126 E. Lincoln Ave, 80Y-2D7, Rahway, NJ 07065, USA

²Division of Analytical Biosciences, LACDR, Leiden University, Leiden, The Netherlands

³Netherlands Metabolomics Centre, LACDR, Leiden University, Leiden, The Netherlands

⁴LaserLab Amsterdam and Chemistry Department, Vrije Universiteit, Amsterdam, The Netherlands

⁵Center for Mass Spectrometry, Department of Chemistry, Chemical Biology and Biomedical Engineering, Stevens Institute of Technology, Hoboken, NJ, USA

Erratum to: J. Am. Soc. Mass Spectrom
DOI 10.1007/s13361-011-0172-2

The caption and original version of Fig. 3 were incorrect; the corrected figure and caption are reproduced here. The authors regret the error.

The original version of this article can be found at <http://dx.doi.org/10.1007/s13361-011-0172-2>.

Correspondence to: Jose Castro-Perez; e-mail: jose_castro-perez@merck.com




Figure 3. Localization of fatty acyl substituent in phosphatidylcholines; PC 16:0/18:1 (9Z) fragmentation was conducted by selecting the ion at m/z 760.5 in the quadrupole region Q1 followed by collision-induced fragmentation in the trap region. **(A)** Shows the m/z 430–580 region of collision-induced dissociation mass spectra for drift time regions 2 and 3 for rhesus (upper panel), mouse (mid panel), and human plasma (lower panel) samples by LC-IMS/TOF. **(B)** Depicts the fragmentation pattern for synthetic standards PC 18:1 (9Z) / 16:0 (upper panel), PC 16:0 / 18:1 (9Z) (mid panel), and PC 16:0/18:1 (9Z) ($^{13}\text{C}_1$ in ω methyl position) (lower panel) in drift time regions 2 and 3 by flow injection analysis. dt =drift time for fragment ions generated in the trap region